## **AMENDMENTS TO THE CLAIMS:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

 (Currently amended) A water heater security system adapted to hold the water heater in a generally fixed relationship with an adjacent wall, the system comprising:

at least one strap assembly extending around at least a portion of the water heater;

at least one strap included in the strap assembly and having a first end, and a second end, and a woven, flexible configuration free of sharp edges;

the strap having a woven, flexible configuration free of sharp edges;

a first wall bracket attached to the wall on one a first side of the water heater;

a second wall bracket attached to the wall on a second side of the water heater opposite to the first side;

the first end of the strap <u>assembly</u> having a fixed relationship with the first wall bracket; and

the second end of the strap <u>assembly</u> having an adjustable relationship with the second wall bracket to permit movement of the second end of the strap <u>assembly</u> between a first position wherein the strap has a first length between the first wall bracket and the second wall bracket, and a second position wherein the strap has a second length shorter than the first length between the first wall bracket and the second wall bracket.

- 2. (Currently amended) The water heater security system recited in Claim 1, wherein the second end of the strap assembly comprises a single strap having the first end and the second end. has a fixed relationship with the second wall bracket in both the first position and the second position.
- 3. (Currently amended) The water heater security system recited in Claim 1, wherein:

the strap <u>assembly</u> includes a first strap having the first end and an opposing third end, and a second strap having the second end and opposing fourth end; and

the system further comprises:

a buckle for attaching the third end of the first strap in a fixed relationship to the fourth end of the second strap.

- 4. (Original) The water heater security system recited in Claim 3, wherein the buckle has an adjustable relationship with one of the third end of the first strap and the fourth end of the second strap.
- 5. (Original) The water heater security system recited in Claim 4, wherein the buckle has an adjustable relationship with the other of the third end of the first strap and the fourth end of the second strap.
- 6. (Original) The water heater security system recited in Claim 3, wherein the buckle further comprises:
  - a first portion of the buckle bent back on a second portion of the buckle and defining a channel therebetween; and
  - a slide engagable by the third end of the strap and movable within the channel to form a fixed relationship between the buckle and the third end of the strap.

- 7. (Original) The water heater security system recited in Claim 6, wherein the slide includes side flanges to maintain the slide in the channel.
- 8. (Original) The water heater security system recited in Claim 6, wherein the second portions of the buckle have side flanges to maintain the slide in the channel.
- 9. (Original) A buckle adapted to receive a strap end in an adjustably fixed relationship, comprising:

an inner portion disposed generally in a first plane;

an outer portion bent back on the inner portion and disposed generally in a second plane parallel to the first plane;

the outer portion forming a sidebar with the inner portion, the sidebar being generally parallel to the first plane of the first portion and the second plane of the second portion and having a first pair of strap engagement edges;

the inner portion and the outer portion defining with the sidebar a channel;

a slide movable within the channel generally parallel to the sidebar, the slide having a second pair of strap engagement edges whereby

the strap can be threaded around the slide and cinched tightly to engage the strap with the first and second pair of strap engagement edges and thereby form the fixed relationship with the buckle.

10. (Original) The buckle recited in Claim 9 wherein:

the strap end is a first strap end; and

the inner portion of the buckle is adapted for attachment to a second strap end.

11. (Original) The buckle recited in Claim 9 wherein:

the strap end is a first strap end; and

the inner portion of the buckle is adapted for attachment to a wall.

12. (Original) The buckle recited in Claim 9 further comprising:

side flanges formed alternatively on the first portion of the buckle and the slide of the buckle.

- 13. (New) The water heater security system recited in Claim 1, wherein the strap assembly comprises a non-metallic material.
- 14. (New) A water heater security system adapted to hold the water heater in a generally fixed relationship with an adjacent wall, the system comprising:

a first wall bracket attached to the wall on a first side of the water heater;

a second wall bracket attached to the wall on a second side of the water heater opposite to the first side;

a strap assembly coupled to the first wall bracket and the second wall bracket, the strap assembly comprising a woven, flexible configuration and extending around at least a portion of the water heater; and

the strap assembly being adjustable between a first position wherein the strap assembly holds the water heater securely and a second position wherein the strap assembly does not hold the water heater securely.

15. (New) The system of Claim 14, wherein the strap assembly comprises a single strap having a first end and a second end.

. 16. (New) The system of Claim 15, wherein:

the first end of the single strap has a fixed relationship with the first wall bracket; and

the second of the single strap has an adjustable relationship with the second wall bracket.

17. (New) The system of Claim 15, wherein:

the first end of the single strap has an adjustable relationship with the first wall bracket; and

the second of the single strap has an adjustable relationship with the second wall bracket.

18. (New) The system of Claim 14, wherein the strap assembly comprises:

a first strap having a first outer end coupled to the first wall bracket and a first inner end;

a second strap having a second outer end coupled to the second wall bracket and a second inner end; and

a buckle coupling the first inner end and the second inner end.

- 19. (New) The system of Claim 18, wherein the buckle has an adjustable relationship with one of the first inner end and the second inner end.
- 20. (New) The system of Claim 19, wherein the buckle has an adjustable relationship with the other of the first inner end and the second inner end.
- 21. (New) The system of Claim 18, wherein:

the first outer end has a fixed relationship with the first wall bracket; and the second outer end has a fixed relationship with the second wall bracket. 22. (New) The system of Claim 18, wherein:

the first outer end has a fixed relationship with the first wall bracket; and the second outer end has an adjustable relationship with the second wall bracket.

23. (New) The system of Claim 18, wherein:

the first outer end has an adjustable relationship with the first wall bracket; and the second outer end has an adjustable relationship with the second wall bracket.

24. (New) The system of Claim 14, wherein the strap assembly comprises a non-metallic material.

## **AMENDMENTS TO THE DRAWINGS:**

The attached annotated sheet of drawings includes changes to Figures 12 and 15. This sheet, which includes Figures 12-15, replaces the original sheet including Figures 12-15. In Figure 12, reference numeral 107a has been included. In Figure 15, reference numerals 98a, 101a, 107a, 110a, 112a have been included. These numerals and their corresponding structures were described in the originally filed specification. No new matter has been added:

Attachment: Replacement Sheet

**Annotated Sheet Showing Changes**